

Isolation of Non-Cytopathic (NCP) VSV Mutants




FIGURE 1

Cell Rounding Phenotypes of M Protein Mutants of VSV




FIGURE 2

Isolation and Sequencing of NCP-M Protein Mutant cDNAs




FIGURE 3

Recovery of rVSV-M_{NCP12.1}




Figure 4

rVSV/NCP-12.1 is Defective in Cell Rounding




Figure 5

Transient Expression of M_{NCP-12.1}




FIGURE 6

rVSV/M_{NCP-12.1} Infection of Different Cell Types




Figure 7

Use of $M_{NCP-12.1}$ to Recover ΔM -VSV




Figure 8

Recovery of rVSV-ΔM





FIGURE 9

Sample #176, 3 Days Post-infection

Infection of islet Prep#176 at day 3 post infection




Figure 10

Sample #163, 3 Days Post-infection

Infection of islet Prep#163 at day 3 post infection




Figure 11

Sample #176, 3 Days Post-infection




Figure 12

Sample #163, 3 Days Post-infection




Figure 13

Sample #176, 8 Days Post-infection




Figure 14

Sample #176, 8 Days Post-infection




Figure 15

Sample #163, 8 Days Post-infection




Figure 16

Sample #163, 8 Days Post-infection




Figure 17

Sample #176, 3 Days Post-infection




Figure 18

Sample #176, 8 Days Post-infection




Figure 19





FIGURE 21

Figure 22







FIGURE 23





figure 24




FIGURE 25



FIGURE 26





Figure 27

4



3




Figure 28




FIGURE 29




FIGURE 30

A




Figure 31a

3




Figure 31b




FIGURE 31 C




A**B**

FIGURE 32

A



B






FIGURE 33


0 hr



10 hr



24 hr



48 hr




Figure 34




Figure 35

A




Figure 36








Figure 37

VSV-wt w/ no IFN

VSV-wt w/ 1,000u IFN



VSV-wt w/ 1,000u IFN on C6 co-cx

normal slice w/ IFN only

Figure 38




Figure 39




Figure 40




Figure 41








Figure 42

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.